


F-8762



2FW


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Dr. Thomas MAETZKE  
Serial No. : 10/549,244  
Filed : October 31, 2005  
For : LABORATORY EQUIPMENT HAVING DRAIN GROOVES  
ON A WORKTOP  
Group Art Unit : 3751

Certificate of Mailing Under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on July 17, 2006.

Frank J. Jordan  
(Name)

 07/17/06  
(Signature and Date)

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:


In the IDS submitted on June 15, 2006, Applicant indicated on page two thereof, first paragraph, that an English translation of comments submitted relating to entry into the European Phase was enclosed with such IDS. Counsel is not certain whether such English translation was

n

enclosed therewith. Accordingly, applicant is now enclosing a copy of such translation.

Respectfully submitted,

Jordan and Hamburg LLP

By 

Frank J. Jordan  
Reg. No. 20,456  
Attorney for Applicants

Jordan and Hamburg LLP  
122 East 42nd Street  
New York, New York 10168  
(212) 986-2340

FJJ/mg  
Enc.